

# Section 1 - IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

#### 1.1 Product identifier

Product Name : Septoquat 30

# 1.2 Relevant identified uses of the substances or mixture and used advised against

Recommended use : Disinfection products.

Recommended restrictions :
 For industrial use only.

# 1.3 Details of supplier of the safety data sheet :

• Manufacturer Details: ZOHAR DALIA C.A.A. Ltd.,

Kibbutz Dalia 1923900, Israel

Tel. 972-4-9897234 Fax 972-4-9897200

# 1.4 Emergency telephone number:

Emergency Telephone & Contact:
 Tel: +972-4-9897515

## **Section 2 - HAZARDS IDENTIFICATION**

# 2.1 Classification of substance or mixture according to Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1 H318 Causes serious eye damage.

Skin Irrit. 2 H315 Causes skin irritation.

## Classification of substance or mixture according to the Globally Harmonized System (GHS)

Eye Dam. 1 H318 Causes serious eye damage.

Skin Irrit. 2 H315 Causes skin irritation.

Acute Tox. 5 H303 May be harmful if swallowed.

Acute Tox. 5 H333 May be harmful if inhaled.

Aquatic Acute 3 H402 Harmful to aquatic life.

# 2.2 Labeling according to Regulation (EC) No 1272/2008 (CLP)

Hazard Pictograms : SIGNAL WORD: Danger



- GHS05 corrosion
- Hazard determining components of labeling:
   Decyl octyl dimethyl ammonium bromide



Hazard Statements:
 H315 Causes skin irritation.
 H318 Causes serious eye damage.

**Precautionary Statements:**P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face

protection.

P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it

before reuse.

## Labeling according to the Globally Harmonized System (GHS)

Hazard pictograms:GHS05

SIGNAL WORD: Danger

Hazard –determining components of labeling:
 Decyl octyl dimethyl ammonium bromide
 Alcohol C10- C18 ethoxylate

Hazard statements: H303, H333, H315, H318, H402

Precautionary statements: P101, P102, P103, P264, P273, P280, P302+P352, P304+P312, P305+P351+P338, P310, P321, P332+P313, P501

Not known

## 2.3. Other hazards

# Section 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Constituent	CAS No.	EC No.	Concentration range	Classification according to Regulation (EC) No 1272/2008 (CLP)	Remarks
Didecyl Dimethyl Ammonium Bromide	2390-68-3	219-234-1	10-30%	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	-
Decyl octyl dimethyl ammonium bromide	151-21-3	205-788-1	10-30%	Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315 Aquatic Chronic 3, H412	-
Alcohol C10- C18 ethoxylate			1-10%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 Aquatic Chronic 3, H412	-
propan-2-ol	67-63-0	200-661-7	1-5%	Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	-



#### Section 4 - FIRST AID MEASURES

## 4.1 Description of First Aid measures:

General measures: None.

• Eye contact : Rinse opened eye for several minutes under running water. Then consult a doctor.

Skin Contact: Immediately wash with water and soap and rinse thoroughly.

Inhalation: In case of unconsciousness place patient stably in side position for transportation.

• Ingestion : If symptoms persist consult doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### Section 5 - FIRE-FIGHTING MEASURES

## 5.1. Extinguishing media:

Suitable extinguishing media: Use water spray, dry powder, foam.

Unsuitable extinguishing media: Avoid water in straight hose stream; will scatter and spread fire.

5.2. Special hazards arising from the substance or mixture: Carbon oxides, nitrogen oxides (NOx), Hydrogen bromide gas.

# 5.3. Advice for fire-fighters

- Wear self contained breathing apparatus for firefighting if necessary.
- Use water spray to cool unopened containers.

## Section 6 - ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal Protective Equipment : Wear protective equipment.

Skin Protection:
 Eye Protection:
 For personal protection see section 8.
 For personal protection see section 8.

Respiratory Protection : None

Work Practices:

Keep unprotected persons away.



### 6.2. Environmental precautions:

- Do not allow to enter sewers/ surface or ground water.
- Discharge into the environment must be avoided.

## 6.3. Methods and material for containment and cleaning:

- Absorb with liquid-binding material (sand, universal binders, sawdust).
- Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.

## Section 7 - HANDLING AND STORAGE

## 7.1 Precautions for safe handling

- Ensure good ventilation/exhaustion at the workplace.
- Protect material from direct sunlight.
- Remove all sources of ignition.
- Take precautionary measures against static discharges.
- Avoid contact with eyes and skin.
- Information about fire and explosion protection: No special measures required

### 7.2 Conditions for safe storage:

- Keep container tightly sealed.
- Keep away from heat sources, metals. Keep in a dry and well-ventilated place.

### 7.3 Specific end use(s):

No further relevant information available.

## Section 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

- Ingredients with limit values that require monitoring at the workplace:

  The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

## 8.2 Exposure Control:

• Engineering measures: None

• Respiratory Protection: Not required.

Hand Protection:
 Protective glove



Protective gloves-The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Material of gloves**: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and



varies from manufacturer to manufacturer.

Recommendation of Nitrile rubber. This recommendation is advisory

**Penetration time of glove material**: The exact break trough time has to be found out by the manufacturer of the protective gloves and

has to be observed.

• Eye protection:



Tightly sealed goggles.

Protective measures :

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

## **Section 9 – PHYSICAL & CHEMICAL PROPERTIES:**

9.1 Information on basic physical and chemical properties:

Appearance: Colorless LiquidOdour: Characteristic

Odour threshold: N.A.pH 1%: 7

Melting point/Freezing point:
 Undetermined.

Initial boiling point and boiling range: 100°C

Flash point: Not applicable.
 Evaporation rate: Not applicable.

Flammability(solid/gas): N.A
 Upper/lower flammability or explosive N.A

limits:

Vapour pressure: N.A.Vapour density: N.A.

Relative density: 0.99 (gr /ml)
 Solubility(water): Soluble.
 Partition coefficient: n-octanol/water: N.A.

• Auto-Ignition temperature: Product is not selfigniting.

Decomposition temperature: N.A.
 Viscosity: N.A

• Explosive properties: Product does not present an explosion hazard.

Oxidizing properties: No

# **Section 10 - STABILITY AND REACTIVITY**

Reactivity: Stable under recommended storage conditions.

Chemical stability: No decomposition if used according to specifications.



Possibility of hazardous reactions : No dangerous reactions known.
 Conditions to avoid : Direct sunlight. Heat, sparks, flames.

• Hazardous decomposition products : Nitrogen oxides (NOx), Carbon oxides, Hydrogen fluoride.

Incompatible materials : Strong oxidizing agents

# Section 11 - TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects:

- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

# 67-63-0 Isopropyl Alcohol

Oral LD50 =5045 mg/kg (rat) Dermal LD50 =12800 mg/kg (rabbit)

### 11.2 Irritation Corrosion:

• Eye: Cause serious eye damage.

• Skin: Causes skin irritation.

## 11.3 Sensitization

• Based on available data, the classification criteria are not met.

## 11.4 CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity:
 Based on available data, the classification criteria are not met.

Mutagenic effects : 

• Based on available data, the classification criteria are not met.

Reprotoxic effects:
 Based on available data, the classification criteria are not met.

## 11.5 Other toxic effects on humans:

Inhalation : No data available
 Dermal : No data available
 No data available
 No data available

Eyes

No data available

• Ingestion :

Chronic toxicity : No data available



## 11.6 NIOSH Immediately Dangerous To Life or Health Concentration (IDLH):

No information available

# 11.7 Specific target organ toxicity:

Single exposure : Based on available data, the classification criteria are not met.

• Repeated exposure: Based on available data, the classification criteria are not met.

# Section 12 - ECOLOGICAL INFORMATION

## 12.1 Ecotoxicity:

No further relevant information available.

## 12.2 Persistence and degradability:

No further relevant information available.

# 12.3 Bioaccumulative potential:

No data available

## 12.4 Mobility in soil:

- Data not available
- Additional ecological information:

**General notes**: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground.

## 12.5 Results of PBT and vPvB assessment:

Not PBT and PVB

#### 12.6 Other adverse effects:

None

## Section 13 - DISPOSAL CONSIDERATIONS:

Waste treatment methods : Must not be disposed together with household garbage.

Do not allow product to reach sewage system.

• Container Disposal : Disposal must be made according to official regulations.

## **Section 14 - TRANSPORT INFORMATION:**

Classified as dangerous in the meaning of transport regulations due to its composition.

## Land transport (ADR/RID)

UN Number : Void
 UN proper shipping name : Void
 Transport hazard class : Void



Packing group : Void

•

# Marine transport (IMDG)

UN Number : Void
 UN proper shipping name : Void
 Transport hazard class : Void
 Packing group : Void
 EmS number : Void
 Marine pollutant : Void

•

# Air transport ICAO/IATA

UN Number : Void
 UN proper shipping name : Void
 Transport hazard class : Void
 Packing group : Void

## Section 15 - REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Labeling according to Regulation (EC) No 1272/2008, see section 2.2- Label elements.
   The product is classified and labeled according to the CLP regulation.
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **Section 16 – OTHER INFORMATION**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

All information contained in the present sheet is based on the manufacturer data . the use of this product is subject to our direct control : therefore, users must under their own responsibility comply with the current health and safety laws and regulation.

## Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

TIAAO II ay falla ay a l'al'fa d'Il la ay la d'ay

H412 Harmful to aquatic life with long lasting effects.



Department issuing MSDS: Product safety department.

Contact:

Kibbuts Dalia 1923900 Israel Phone :972-4-9897234

Fax: 972-4-9897200 www.zohar dalia.com

## • Abbreviations and acronyms:

ADR: Accord européen sur le transport des merchandises dangerousness par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European Inventory of

Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds

(USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Data compared to the previous version altered.